

4 Results

4.1 DB-based e-syllabus

The DB has two layouts: a list view and a single view. Table 2 shows the list view style, which is intended for class indexing. Respective single-view pages are opened when users click class names. Single-view pages show general class information such as goals, objectives, assessment methods, class schedules, and textbooks.

Table 2: The style and the sample of the list view of DB based syllabus

Domain	Title	Years	Link
L2	Introduction to Medicine	1st	Detailed page
L3	Anatomy	1st	Detailed page
...

The DB-based e-syllabus is set on the top page of Moodle. When a class has its own Moodle courses, the student syllabus includes links to the page, created using the relevant course ID number. Officially, links to Moodle courses are based on IDs such as

moodle/course/view.php?id=1254.

These IDs are automatically added in the order that courses are created. However, since some classes did not have their own courses, it was difficult to automatically connect each syllabus and course.

Alternatively, a URL link based on the relevant course ID number was used. Each Moodle course has an optional course ID number that users can also refer to when accessing the course. For example, this could be:

moodle/course/view.php?idnumber=2019_M_L1262-2.

These course ID numbers are freely defined by site administrators. Thus, direct links can easily be made from the e-syllabus to their respective courses.

4.2 The number of MCC and DP

Both the MCC- and DP-based competencies were established within Moodle. The MCC-based competencies contained 467 elements (Table 3), while the DP-based competencies contained 41 elements (Table 4).

Table 3: Numbers of MCC-Based Competencies Elements

Domains (sub domains)	Total MCC elements	Total classes connected to MCC	Total number of elements without any connections to classes
A(9)	26	114	3
B(4)	16	37	3
C(5)	53	40	34
D(15)	186	125	123
E(9)	51	52	26
F(3)	75	25	62
G(4)	60	16	53

Table 4: Numbers of DP-Based Competencies Elements

Domains	Total DP elements	Total classes connected to DP
I	6	47
II	13	197
III	6	41
IV	16	90

The MCC contained some subdomains. For example, domain A consisted of nine subdomains, while domain B consisted of four subdomains. Figure 4 shows the results of each subdomain, including elements without any connections to classes. Since L1 is an elective course, the results focused on L2 – L9, which are compulsory.




Figure 4: The mapping results of JMU diploma policies and syllabus

Similarly, Figure 5 shows the percentage of MCC and syllabuses. The MCC contained some subdomains. For example, domain A consisted of nine subdomains, while domain B consisted of four subdomains. Figure 5 shows the results of each subdomain, including elements without any connections to classes. As above, since L1 is an elective course, the results focused on L2 – L9, which are compulsory.

The blue bar (NA) shows the percentage of elements that had no connections to classes. For example, all elements of subdomain A-1 have some connections, while about 50% of elements had no connections in subdomain B-2. None of the elements in subdomain D-11 and G-1 had connections to classes.

Some MCC subdomains had no connections to classes. As shown in Figure 5, items D-11 and G-1 revealed values of 100%, meaning that no classes treated them as objectives. In addition, none of the D and G subdomains had connected objectives.




Figure 5: The mapping results of MCC and JMU syllabus

Figure 6 shows the relationships between MCC and DP. In each column, circle size indicates the number of subjects. For example, there is only one subject that includes MCC A and DP 1, and 13 that include MCC A and DP 2-2. This shows that DP 2-1 and DP 2-2 have a wide connection to MCC. Since DP 2-1 and DP 2-2 are about the knowledge of basic medicine and clinical medicine, there are many related subjects in the syllabus.




Figure 6: The relationships between MCC and DP

5 Discussion

5.1 DB-based e-syllabus

Although this was the first attempt at importing data from the Excel syllabus used in previous years, almost all data were imported correctly. In 2020, due to COVID-19, almost all classes have their own Moodle courses, both lecture-based classes and bed-side learning, which will continue for some time [14]. Since each e-syllabus has a link to each course, Moodle should function as a learning and teaching portal site for students and faculties.

However, there are three main areas should be improved.

First, the style of data. Some Excel data were contained in “merged cells,” which created problems when importing. Since the whole data was imported to Moodle after manual adjustments, the new version of the syllabus data worked well. However, these types of data processing are sometimes problematic for importing and exporting data. In fact, some universities, including JMU, use both LMS and grade management systems. Although LMS such as Moodle can export data in various styles, such as CSV, grade management systems may not have features to import or export the data freely. Thus, faculties must change or combine the data for using both systems. Although this is not the only problem involved with an e-syllabus, the smooth data connection is an essential part of IR.

Second, it is somewhat difficult to input and display each class schedule. The syllabus schedule contains four types of information, including date, time, content, and faculty name. The DB requires individual fields for each information type per class. For example, if there are 80 anatomy classes, then the DB requires 320 input fields. Figure 7 shows the input form for the schedule. This is almost the same as with the Excel-based format. In fact, it is more inconvenient to use the form since users cannot cut and paste the line.

Type	Date	Time	Content / Theme	Faculty	Affiliation
Choose...	30 December 2020	Choose...	 Plain text format	 Plain text format	 Plain text format
Choose...	30 December 2020	Choose...	 Plain text format	 Plain text format	 Plain text format

Figure 7: Input forms for course schedules

One way to improve this is by using the Moodle calendar feature. Currently, only monthly and daily views are available in Moodle, with no weekly view. Usability will improve if the weekly view format is developed so that faculty members can input their class schedules from other systems, such as Google Calendar.

The third issue concerns the connections between activities and competencies in each class. Moodle can not only connect the classes to competencies, but can also connect the competencies to activities such as quizzes and forums. Currently, only a few courses contain unique quizzes and other activities. However, as noted before, since there has been some shift to online-based learning due to the COVID-19 outbreak, an increasing number of courses are implementing their own learning activities. If these activities will eventually be connected to the competencies, then it will be possible to conduct assessments based on the competencies.

5.2 Competencies

Some MCC subdomains had no connections to classes. As shown in Figure 6, items D-11 and G-1 revealed values of 100%, meaning that no classes treated them as objectives. In addition, none of the D and G subdomains had connected objectives.

Domain D was listed as the “Normal Structure and Function, Pathophysiology, Diagnosis, and Treatment of Each Organ System of the Human Body.” Notably, the “normal structure of each organ system of the human body” was nearly equal to the objectives outlined for anatomy. In fact, the syllabus data from the previous year had a certain limitation in which each class contained a maximum of three elements from the MCC; most important objectives were thus missing from the anatomy class data. Therefore, most elements connected to the anatomy were omitted. Importantly, the Moodle based e-syllabus does not limit the number of competencies for each class. This will reduce the number of elements with no connections to classes.

On the other hand, domain G was the “Clinical Clerkship.” Since there were no electronic data for the clinical clerkship syllabus, only the syllabus for the lectures and laboratory courses were included in this study. For this reason, almost all of domain G was omitted. Because the new syllabus includes both lectures and clinical clerkships, competency information will be gathered correctly.

Figure 6 shows that there were only a few classes related to DP1, 2, and 3, resulting from the problematic user interface. Since DP1, 2, and 3 are the top DP categories, they should not be selected. For example, if someone selected DP2, we cannot know whether they refer to DP2-1, DP2-2, or both. However, DP1, 2 and 3 were unintentionally set as selectable. Although few classes selected these, the issue should be addressed in future to enable more accurate analysis.

5.4 Further improvement

There are some points that should be improved in the proposed system. First, the e-syllabus based on the DB. While the original URL with Moodle ID numbers works correctly from web browsers, such as Edge and Safari, it did not work in the Moodle Mobile App [15]. When users try to access the URL from the app, the default web browser opens automatically. Although the link itself worked correctly, this was inconvenient for users. This continues to be an issue in the newest Moodle Mobile App (3.9.3); therefore, further updates by Moodle HQ are needed.

The second point concerns the connection between each e-syllabus and course schedule. Since the date information is entered into Moodle through text-based data, there are no connections or direct links from the syllabus to activities or resources. One way to solve this problem is to use the calendar feature of Moodle, which could include dates for each activity, such as quizzes and forums. However, the displayed date only connects to the activities, not the topics. Thus,

faculty members must create some activities beforehand to set the syllabus schedules for a Moodle calendar. Since almost all classes made Moodle courses and set activities in 2020 due to COVID-19, importing the contents to next year courses would be helpful in setting date information.

The third concern relates to the connection between MCMC/DP and activities in the courses. Moodle has a feature to connect competencies not only to courses but also to activities, as shown in Figure 8. Again, this might be troublesome for faculty members, as they must connect each activity to each competency one by one.




Figure 8: The future tasks to connect activities to MCC and DP

The fourth concern is regarding the input system. Because the e-syllabus has a database structure, there are some limitations to data management. For example, changing the order of classes is difficult because the data must include information such as the number of classes or the date of lectures. Moreover, the data should be exportable to make a paper-based syllabus. Although almost all data are in Moodle, paper-based syllabi are also needed in the university since some faculty members still use paper-based media. However, many teachers had started using Moodle and uploaded resumes to it because of the COVID-19 pandemic. Thus, there are some advantages of Moodle-based e-syllabi over paper-based syllabi in terms of integrating learning materials into one place.

Fifth, the DP selection interface should be addressed, as discussed previously. As noted in 5.2, the top DP categories were selectable at the time of data collection. This should be changed to prevent selection of both top categories and subcategories.

A sixth consideration relates to the course taxonomy. In this study, classes were categorized by the syllabus domains L1 to L9. This classification is effective to analyze the macro connection between the whole JMU curriculum and MCCs/DPs, and all classes have been classified according to the syllabus categories. Detailed and micro discussions, such as investigating the connection between the Year 1 curriculum and MCCs, are needed. Yet, the current syllabus taxonomy is insufficient for such analyses. One idea for improvement is to add year information to the course ID number. Since the current id number follow the format “2019_M_L1262-2,” a simple solution is placing year information after the M (e.g., “2019_M1_L1262-2”). This improvement will enable a more detailed analysis of the connection between the current curriculum and MCCs/DPs, which is essential for improving the curriculum.

6 Conclusion

This study shows how to develop a Moodle-based e-syllabus for conducting curriculum mapping and competency assessments. MCC mapping revealed that some competencies were not connected to any classes. Moodle can connect e-syllabi to curriculum information and learning contents – one advantage of e-syllabi over paper-based syllabi. Although some areas in the Moodle-based e-syllabus require improvements (e.g., the user interface and connections between learning activities and competencies), the platform will be useful for IR in medical education.

Acknowledgement

This work was supported by “JSPS KAKENHI” (Grant Number JP18K02865) and “MHLW Grant” (Project Number H30-ICT-04).

References

- [1] Basic Medical Education WFME Global Standards for Quality Improvement, <http://wfme.org/standards/bme/> (Accessed Dec. 8, 2020)
- [2] Y. Asada, “The trend of institutional research in Japanese medical education: a case study from Jichi Medical University,” *International Journal of Institutional Research and Management*, Vol. 3, No.2, 2019, pp. 1-18.
- [3] Model Core Curriculum for Medical Education in Japan, AY 2016 Revision (in English), http://www.mext.go.jp/component/a_menu/education/dtail/_icsFiles/afielfile/2018/06/18/1325989_30.pdf. (Accessed Dec. 8, 2020)
- [4] Moodle.org, <https://moodle.org/> (Accessed Dec. 8, 2020)
- [5] manaba, <https://manaba.jp/> (Accessed Dec. 8, 2020)
- [6] Configurable Reports, https://moodle.org/plugins/block_configurable_reports (Accessed Dec. 8, 2020)
- [7] Y. Asada, M. Yagi, “Moodle for Learning Analytics and Institutional Research: Exporting Data via SQLs and Plugins,” *International Journal of Institutional Research and Management*, Vol. 4, No.2, 2020, pp. 30-43.
- [8] M. Saqr, U. Fors, M. Tedre, “How learning analytics can early predict under-achieving students in a blended medical education course,” *Medical Teacher*, Vol. 39, No. 7, 2017, pp. 757-767.
- [9] Y. Asada, H. Okazaki, N. Sata, H. Kawahira, S. Yamamoto, and Y. Matsuyama, “A Moodle-based e-syllabus for institutional research: curriculum Mapping and Competency Assessments,” *Proc. 9th IIAI International Congress on Advanced Applied Informatics (IIAI-AAI)*, 2020, pp. 312-315.
- [10] Database activity, https://docs.moodle.org/38/en/Database_activity (Accessed Dec. 8, 2020)

- [11] SetMoodlePlainTextEditMode.user.js, <https://gist.github.com/jcchurch/7e6265ce1a77ab9ab604> (Accessed Dec. 8, 2020)
- [12] B. Nielsen, “Competency-based education features in Moodle,” Proceedings of MoodleMoot Japan 2019 Annual Conference, pp. 6-18.
- [13] I. Ko, H. Chang, “Interactive Visualization of Healthcare Data Using Tableau,” Healthcare Informatics Research, Vol. 23, No. 4, 2017, pp. 349-354.
- [14] Online learning, teaching and education continuity planning for schools, <https://www.ibo.org/globalassets/news-assets/coronavirus/online-learning-continuity-planning-en.pdf> (Accessed Dec. 8, 2020)
- [15] Moodle App, <https://moodle.com/app/> (Accessed Dec. 8, 2020)