





























- [17] K. Denecke, "Using SentiWordNet for Multilingual Sentiment Analysis," Proc. IEEE International Conference on Data Engineering Workshop, 2008, pp. 507-512.
- [18] M. Araújo, A. Pereira, and F. Benevenuto, "A Comparative Study of Machine Translation for Multilingual Sentence-level Sentiment Analysis," Information Sciences, Vol. 512, 2020, pp. 1078-1102.
- [19] E. F. Can, A. Ezen-Can, and F. Can, "Multilingual Sentiment Analysis: An RNN-Based Framework for Limited Data," Proc. International Workshop on Learning from Limited/Noisy Data for IR, 2018, arXiv:1806.04511.
- [20] A. Balahur and M. Turchi, "Comparative Experiments Using Supervised Learning and Translation for Multilingual Sentiment Analysis," Computer Speech and Language, Vol. 28, No. 1, 2014, pp. 56-75.
- [21] H. Schmid, "Probabilistic Part-of-speech Tagging Using Decision Trees," Proc. International Conference on New Methods in Language Processing, 1994.
- [22] T. Nasukawa, D. Andrade, Y. Umino, Y. Muramatsu, and K. Yamamoto, "Finding Translation Pairs for Cross-lingual Text Mining," Proc. Annual Meeting of the Association for Natural Language Processing, 2009, pp. 108-111. (In Japanese)
- [23] P. Bojanowski, E. Grave, A. Joulin, and T. Mikolov, "Enriching Word Vectors with Subword Information," Transactions of the Association for Computational Linguistics, Vol. 5, 2017, pp. 135-146.
- [24] E. Grave, P. Bojanowski, P. Gupta, A. Joulin, and T. Mikolov, "Learning Word Vectors for 157 Languages," Proc. International Conference on Language Resources and Evaluation, 2018, pp. 3483-3487.
- [25] H. Takamura, T. Inui, and M. Okumura, "Extracting Semantic Orientations of Words using Spin Model," Proc. Annual Meeting of the Association for Computational Linguistics, 2005, pp. 133-140.
- [26] I. Mozetič, M. Grčar, J. Smailović, "Twitter Sentiment for 15 European Languages," Slovenian language resource repository CLARNI.SI, <http://hdl.handle.net/11356/1054>. (Last access: March 2021)
- [27] T. Blard, "French Sentiment Analysis with BERT," GitHub repository, <https://github.com/TheophileBlard/french-sentiment-analysis-with-bert>. (Last access: March 2021)
- [28] C. J. Hutto and E. Gilbert, "VADER: A Parsimonious Rule-based Model for Sentiment Analysis of Social Media Text," Proc. Eighth International AAAI Conference on Weblogs and Social Media, 2014, pp. 216-225.
- [29] R. Socher *et al.*, "Recursive Deep Models for Semantic Compositionality Over A Sentiment Treebank," Proc. Conference on Empirical Methods in Natural Language Processing, 2013, pp. 1631-1642.